	Application No.	Applicant(s)	
Notice of Allowability	10/037,315	HAMPL JR.	7
	Examiner	Art Unit	
	Carlos Lopez	1731	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT THE Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not include n will be mailed in due	ed course. THIS
1. \boxtimes This communication is responsive to <u>6/3/04 & 5/5/04</u> .			
2. The allowed claim(s) is/are 12-14,18,21,23-25,28,29 and 3	<u>1-36</u> .		
3. \boxtimes The drawings filed on <u>22 October 2001</u> are accepted by the	e Examiner.		
4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority doc International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.6 each sheet. Replacement sheet(s) should be labeled as such in the paper No./Mail Date attached Examiner's comment regarding REQUIREMENT Finds.	been received. been received in Application No cuments have been received in this is of this communication to file a reply of ENT of this application. itted. Note the attached EXAMINER' bes reason(s) why the oath or declarate on's Patent Drawing Review (PTO-s and Amendment / Comment or in the O B4(c)) should be written on the drawing he header according to 37 CFR 1.121(c) sit of BIOLOGICAL MATERIAL in	complying with the records AMENDMENT or Nation is deficient. 948) attached Office action of the dol. must be submitted. National stage application.	quirements IOTICE OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Pa 6. Interview Summary Paper No./Mail Date 7. Examiner's Amendm 8. Examiner's Stateme 9. Other	(PTO-413), te ment/Comment	

Application/Control Number: 10/037,315

Art Unit: 1731

Terminal Disclaimer

The terminal disclaimer filed on 5/5/04 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of US 6,305,382 has been reviewed and is accepted. The terminal disclaimer has been recorded.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

The title was rewritten to read as follows:

Cigarette paper Smoking article with reduced carbon monoxide delivery

Specification

The paragraph on page 1 starting at line 4 has been rewritten to read as follows:

The present application is a continuation-in-part of U.S. Patent Application Serial (3.365, 38.2) No. 09/420,698 filed on October 19, 1989, which issued as U.S. Patent No. 6,15,382 and which is a continuation-in-part of U.S. Patent Application Serial No. 09/290,539 filed on April 12, 1999 now abandoned, which is a continuation of U.S. Patent Application Serial No.08/833,579, filed on April 7, 1997, which issued as U.S. Patent No. 5,893,372.

REASONS FOR ALLOWANCE

CL 6/28/04

Application/Control Number: 10/037,315

Art Unit: 1731

The following is an examiner's statement of reasons for allowance: The following is an examiner's statement of reasons for allowance: The cited prior art discloses a wrapping paper having opacity of at least 80% and brightness of at least 70%.

However, the cited prior art does not disclose or reasonably suggest a wrapping paper having said opacity and brightness levels with a reduced basis weight of up to about 22g/m² and a tensile strength of at least 1800g/29mm as claimed in the present invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carlos Lopez whose telephone number is 571.272.1193. The examiner can normally be reached on Mon.-Fri. 8am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on 571.272.1189. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 4

Application/Control Number: 10/037,315

Art Unit: 1731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CL

STEVEN P. GRIPPIN
SUPERVISORY PATENT EXAMINED
TECHNOLOGY CENTER 1700